




BEAD BRITE
CB4000

LOT # 007

Filename: 7623-AVE.#02 Sample Number: 0
Group ID: 7623-AVERAGED
Sample ID: BEAD BRITE.
Comment: 4X MIRROR GLASS <13 MICRON, DR-1 to DR-39
Operator: GS 250.1
Electrolyte: ISOTON II
Dispersant: TX-100/US
Aperture Size: 30 µm Aperture Current: 1600 uA
Channels: 64 Kd: 336.69
Full Data, Log Diameter Gain: 2
Control Method: Total Count 50000
Elapsed Time: 25.8 Seconds
Raw Count: 50000 Minimum: 50000 Maximum: 50000
Acquired: 9:33 3 Dec 2002
Serial Number: 007
Diff Volume % Average of Files:
7623-2c.#01 7623-8c.#01
Analytic Volume: 250 ul






COULTER

MULTISIZER AccuComp® 1.19

BEAD BRITE
CB4000

11 Dec 2002

LOT # 007



Number Statistics (Arithmetic)

7623-AVE.#02

Calculations from 0.657 µm to 22.85 µm

Number	50000			
Mean:	3.684 µm	S.D.:	2.52 µm	
Median:	3.450 µm			
Mean/Median Ratio:	1.068			
Mode:	0.755 µm			

% >	10	25	50	75	90
Size µm	7.392	5.463	3.450	1.214	0.838

Volume Statistics (Arithmetic)

7623-AVE.#02

Calculations from 0.657 µm to 22.85 µm

Volume	3.385e6 µm ³			
Mean:	7.206 µm	S.D.:	1.97 µm	
Median:	7.348 µm			
Mean/Median Ratio:	0.981			
Mode:	8.191 µm			

% >	10	25	50	75	90
Size µm	9.632	8.606	7.348	5.819	4.519



COULTER

MULTISIZER AccuComp® 1.19

11 Dec 2002

BEAD BRITE
CB4000

LOT # 007

7623-AVE.#02

Channel Number	Particle Diameter µm	Cum > Volume %	Diff Volume %	Diff Number %	Cum > Number %
1	0.657	100.00	0	0	100.00
2	0.694	100.00	0	0	100.00
3	0.734	100.00	0.016	4.84	100.00
4	0.776	99.98	0.016	3.99	95.16
5	0.820	99.97	0.014	3.03	91.17
6	0.867	99.95	0.014	2.63	88.14
7	0.916	99.94	0.016	2.43	85.51
8	0.969	99.92	0.017	2.27	83.08
9	1.024	99.91	0.019	2.10	80.81
10	1.082	99.89	0.019	1.82	78.71
11	1.144	99.87	0.022	1.78	76.89
12	1.209	99.85	0.024	1.64	75.11
13	1.278	99.82	0.026	1.47	73.47
14	1.351	99.80	0.030	1.43	72.00
15	1.428	99.77	0.033	1.36	70.57
16	1.509	99.73	0.036	1.26	69.21
17	1.595	99.70	0.039	1.14	67.94
18	1.686	99.66	0.047	1.15	66.80
19	1.783	99.61	0.050	1.05	65.65
20	1.884	99.56	0.059	1.05	64.59
21	1.992	99.50	0.071	1.07	63.55
22	2.105	99.43	0.080	1.02	62.47
23	2.225	99.35	0.098	1.06	61.45
24	2.352	99.25	0.122	1.12	60.39
25	2.486	99.13	0.140	1.08	59.27
26	2.628	98.99	0.200	1.31	58.19
27	2.778	98.79	0.255	1.42	56.87
28	2.936	98.53	0.336	1.58	55.46
29	3.104	98.20	0.482	1.92	53.88
30	3.281	97.72	0.642	2.16	51.96
31	3.468	97.07	0.895	2.55	49.80
32	3.665	96.18	1.14	2.74	47.24
33	3.874	95.04	1.47	3.01	44.50
34	4.095	93.57	1.82	3.15	41.49
35	4.329	91.75	2.27	3.33	38.33
36	4.576	89.48	2.60	3.23	35.00
37	4.837	86.88	2.96	3.11	31.78
38	5.112	83.93	3.48	3.10	28.67
39	5.404	80.45	3.97	3.00	25.57
40	5.712	76.48	4.50	2.87	22.58
41	6.038	71.98	4.86	2.63	19.70
42	6.382	67.12	5.94	2.72	17.08
43	6.746	61.18	7.06	2.74	14.36
44	7.130	54.13	7.71	2.53	11.63
45	7.537	46.42	8.69	2.42	9.10
46	7.967	37.73	9.38	2.21	6.68
47	8.421	28.34	8.67	1.73	4.47
48	8.901	19.68	7.63	1.29	2.75



COULTER

MULTISIZER AccuComp® 1.19

11 Dec 2002

BEAD BRITE
CB4000

LOT # 007

7623-AVE.#02

Channel Number	Particle Diameter μm	Cum > Volume %	Diff Volume %	Diff Number %	Cum > Number %
49	9.409	12.05	4.92	0.702	1.46
50	9.945	7.13	3.62	0.438	0.757
51	10.51	3.51	1.79	0.183	0.318
52	11.11	1.72	1.04	0.090	0.135
53	11.75	0.675	0.347	0.025	0.045
54	12.41	0.329	0.234	0.015	0.019
55	13.12	0.095	0.045	0.002	0.005
56	13.87	0.050	0.050	0.002	0.002
57	14.66	0	0	0	0
58	15.50	0	0	0	0
59	16.38	0	0	0	0
60	17.32	0	0	0	0
61	18.30	0	0	0	0
62	19.35	0	0	0	0
63	20.45	0	0	0	0
64	21.62	0	0	0	0
	22.85	0			0